

SAFETY DATA SHEET

Revision Date: 22-May-2018

Revision Number: 2

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name Product Code Alternate Product Code Product Class Color Recommended use Restrictions on use

BENJAMIN MOORE DRY FALL LATEX FLAT BASE 1 K3951X

K3951X Water thinned paint All Paint No information available

Manufactured For

Benjamin Moore & Co., Limited 8775 Keele Street Concord ON L4K 2N1 Phone: 1-800-361-5898 www.benjaminmoore.com

Manufacturer

Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 Phone: 1-866-708-9180 www.benjaminmoore.com Emergency Telephone CANUTEC: 613-996-6666

2. HAZARDS IDENTIFICATION

Classification

This chemical is not considered hazardous by the Hazardous Products Regulations (HPR: SOR/2015-17)

Label elements

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS)

Appearance liquid

Odor little or no odor

Other information

3. COMPOSITION INFORMATION ON COMPONENTS

Chemical name	CAS No.	Weight-%
Limestone	1317-65-3	30 - 60%
Titanium dioxide	13463-67-7	5 - 10%
Diatomaceous earth	61790-53-2	1 - 5%

4. FIR:	ST AID MEASURES
General Advice	No hazards which require special first aid measures.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Skin Contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Inhalation	Move to fresh air. If symptoms persist, call a physician.
Ingestion	Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary.
Most Important Symptoms/Effects	None known.

Notes To Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Protective Equipment And Precautions For Firefighters	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
Specific Hazards Arising From The Chemical	Closed containers may rupture if exposed to fire or extreme heat.
Sensitivity To Mechanical Impact	No
Sensitivity To Static Discharge	No
Flash Point Data Flash Point (°F) Flash Point (°C) Method	Not applicable Not applicable Setaflash closed cup

Flammability Limits In Air

Lower flammability limit: Upper flammability limit:

Health: 1

Flammability: 0

Instability: 0

Not applicable

Not applicable

Special: Not Applicable

NFPA Legend

- 0 Not Hazardous
- 1 Slightly

NFPA

- 2 Moderate
- 3 High
- 4 Severe

The ratings assigned are only suggested ratings, the contractor/employer has ultimate responsibilities for NFPA ratings where this system is used.

Additional information regarding the NFPA rating system is available from the National Fire Protection Agency (NFPA) at www.nfpa.org.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. **Other Information** Prevent further leakage or spillage if safe to do so. **Environmental precautions**

See Section 12 for additional Ecological Information.

Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.

7. HANDLING AND STORAGE

Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.

> Keep container tightly closed. Keep out of the reach of children.

Incompatible Materials

Methods For Clean-Up

No information available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits

Chemical name	ACGIH TLV	Alberta	British Columbia	Ontario	Quebec
Limestone	N/E	10 mg/m³ - TWA	10 mg/m ³ - TWA	N/E	10 mg/m ³ - TWAEV
			3 mg/m ³ - TWA		
			20 mg/m ³ - STEL		
Titanium dioxide	10 mg/m ³ - TWA	10 mg/m ³ - TWA	10 mg/m ³ - TWA	10 mg/m³ - TWA	10 mg/m ³ - TWAEV
		-	3 mg/m ³ - TWA	-	

Handling

Storage

K3951X - BENJAMIN MOORE DRY FALL LATEX FLAT BASE 1

Diatomaceous earth	N/E	N/E	4 mg/m³ - TWA 1.5 mg/m³ - TWA	N/E	6 mg/m ³ - TWAEV	
Legend ACGIH - American Conference Alberta - Alberta Occupational British Columbia - British Colur Ontario - Ontario Occupational Quebec - Quebec Occupationa N/E - Not established	Exposure Limits nbia Occupational Expo Exposure Limits	,,,				
Engineering Measures		E	Ensure adequate vent	ilation, especial	ly in confined areas.	
Personal Protective Equipment Eye/Face Protection Skin Protection Respiratory Protection		F	Safety glasses with side-shields. Protective gloves and impervious clothing. In case of insufficient ventilation wear suitable respiratory equipment.			
Hygiene Measures			Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.			
	9. PHYSICA	L AND CHI	EMICAL PROPE	RTIES		
Appearance Odor			iquid ittle or no odor			

Odorlittle or no odorOdor ThresholdNo information availableDensity (Ibs/gal)12.6 - 13.0Specific Gravity1.50 - 1.55PHNo information availableViscosity (cps)No information availableSolubility(ies)No information availableWater solubilityNo information availableVapor pressure @20 °C (kPa)No information availableVapor pressure @20 °C (kPa)No information availableVapor densityNo information availableWt. % Solids55 - 65Vol. % Volatiles55 - 65Vol. % Volatiles50Boiling Point (°F)212Boiling Point (°F)32Freezing Point (°F)0Flash Point (°C)0Flash Point (°C)Not applicableMethodSetaflash closed cupFlammability (solid, gas)Not applicableUpper flammability limit:Not applicableLower flammability limit:Not applicableAutoignition Temperature (°C)No information availableAutoignition Temperature (°C)No information availableDecomposition Temperature (°C)No information available	Appearance	liquid
Density (Ibs/gal)12.6 - 13.0Specific Gravity1.50 - 1.55pHNo information availableViscosity (cps)No information availableSolubility(ies)No information availableWater solubilityNo information availableEvaporation RateNo information availableVapor pressure @20 °C (kPa)No information availableVapor densityNo information availableWt. % Solids55 - 65Vol. % Solids35 - 45Wt. % Volatiles35 - 45Vol. % Volatiles55 - 65VOC Regulatory Limit (g/L)< 50Boiling Point (°F)212Boiling Point (°F)32Freezing Point (°F)32Freezing Point (°C)0Flash Point (°C)Not applicableMethodSetaflash closed cupFlammability (solid, gas)Not applicableUpper flammability limit:Not applicableLower flammability limit:Not applicableAutoignition Temperature (°F)No information availableDecomposition Temperature (°F)No information available	Odor	little or no odor
Specific Gravity1.50 - 1.55pHNo information availableViscosity (cps)No information availableSolubility(ies)No information availableWater solubilityNo information availableEvaporation RateNo information availableVapor pressure @20 °C (kPa)No information availableVapor densityNo information availableVapor densityNo information availableVapor densityNo information availableVate % Solids55 - 65Vol. % Solids35 - 45Wt. % Volatiles55 - 65VOC Regulatory Limit (g/L)< 50Boiling Point (°F)212Boiling Point (°C)100Freezing Point (°C)0Flash Point (°F)32Freezing Point (°C)Not applicableFlash Point (°C)Not applicableMethodSetaflash closed cupFlammability (solid, gas)Not applicableUpper flammability limit:Not applicableLower flammability limit:Not applicableAutoignition Temperature (°F)No information availableDecomposition Temperature (°F)No information available	Odor Threshold	No information available
pHNo information availableViscosity (cps)No information availableSolubility(ies)No information availableWater solubilityNo information availableEvaporation RateNo information availableVapor pressure @20 °C (kPa)No information availableVapor densityNo information availableVit. % Solids55 - 65Vol. % Solids35 - 45Vol. % Volatiles55 - 65VOC Regulatory Limit (g/L)< 50Boiling Point (°F)212Boiling Point (°C)0Freezing Point (°C)0Flash Point (°C)Not applicableFlash Point (°C)Not applicableMethodSetaflash closed cupFlammability (solid, gas)Not applicableUpper flammability limit:Not applicableLower flammability limit:Not applicableAutoignition Temperature (°F)No information availableAutoignition Temperature (°C)No information availableDecomposition Temperature (°F)No information available	Density (Ibs/gal)	12.6 - 13.0
Viscosity (cps)No information availableSolubility(ies)No information availableWater solubilityNo information availableEvaporation RateNo information availableVapor pressure @20 °C (kPa)No information availableVapor densityNo information availableVapor densityNo information availableWt. % Solids55 - 65Vol. % Solids35 - 45Wt. % Volatiles55 - 65Vol. % Volatiles55 - 65VOC Regulatory Limit (g/L)< 50Boiling Point (°F)212Boiling Point (°C)100Freezing Point (°C)0Flash Point (°F)32Freezing Point (°C)Not applicableKethodSetaflash closed cupFlammability (solid, gas)Not applicableUpper flammability limit:Not applicableLower flammability limit:Not applicableAutoignition Temperature (°F)No information availableDecomposition Temperature (°F)No information available	Specific Gravity	1.50 - 1.55
Solubility(ies)No information availableWater solubilityNo information availableEvaporation RateNo information availableVapor pressure @20 °C (kPa)No information availableVapor densityNo information availableWt. % Solids55 - 65Vol. % Solids35 - 45Wt. % Volatiles35 - 45Vol. % Volatiles55 - 65VOC Regulatory Limit (g/L)< 50Boiling Point (°F)212Boiling Point (°F)32Freezing Point (°F)32Freezing Point (°F)0Flash Point (°F)Not applicableMethodSetaflash closed cupFlash Point (°C)Not applicableMethodSetaflash closed cupFlammability limit:Not applicableLower flammability limit:Not applicableLower flammability limit:Not applicableAutoignition Temperature (°F)No information availableDecomposition Temperature (°F)No information available	рН	No information available
Water solubilityNo information availableEvaporation RateNo information availableVapor pressure @20 °C (kPa)No information availableVapor densityNo information availableWt. % Solids55 - 65Vol. % Solids35 - 45Wt. % Volatiles35 - 45Vol. % Volatiles55 - 65VOC Regulatory Limit (g/L)< 50Boiling Point (°F)212Boiling Point (°C)100Freezing Point (°C)0Flash Point (°F)32Freezing Point (°C)Not applicableFlash Point (°C)Not applicablePlamability (solid, gas)Not applicableUpper flammability limit:Not applicableLower flammability limit:Not applicableAutoignition Temperature (°F)No information availableNo information Temperature (°F)No information available	Viscosity (cps)	No information available
Evaporation RateNo information availableVapor pressure @20 °C (kPa)No information availableVapor densityNo information availableWt. % Solids55 - 65Vol. % Solids35 - 45Wt. % Volatiles55 - 65Vol. % Volatiles55 - 65Vol. % Volatiles55 - 65VOC Regulatory Limit (g/L)< 50Boiling Point (°F)212Boiling Point (°C)100Freezing Point (°C)0Flash Point (°F)32Freezing Point (°C)0Flash Point (°C)Not applicableFlash Point (°C)Not applicablePlanmability (solid, gas)Not applicableUpper flammability limit:Not applicableLower flammability limit:Not applicableAutoignition Temperature (°F)No information availableNo information Temperature (°F)No information available	Solubility(ies)	No information available
Vapor pressure @20 °C (kPa)No information availableVapor densityNo information availableWapor densityNo information availableWt. % Solids55 - 65Vol. % Solids35 - 45Wt. % Volatiles55 - 65VOC Regulatory Limit (g/L)< 50Boiling Point (°F)212Boiling Point (°C)100Freezing Point (°F)32Freezing Point (°F)0Flash Point (°C)Not applicableFlash Point (°C)Not applicableFlash Point (°C)Not applicableJupper flammability (solid, gas)Not applicableUpper flammability limit:Not applicableLower flammability limit:Not applicableAutoignition Temperature (°F)No information availableDecomposition Temperature (°F)No information available	Water solubility	No information available
Vapor densityNo information availableWt. % Solids55 - 65Vol. % Solids35 - 45Wt. % Volatiles35 - 45Vol. % Volatiles55 - 65VOC Regulatory Limit (g/L)< 50Boiling Point (°F)212Boiling Point (°C)100Freezing Point (°C)0Flash Point (°C)0Flash Point (°C)Not applicableFlash Point (°C)Not applicableJupper flammability (solid, gas)Not applicableUpper flammability limit:Not applicableLower flammability limit:Not applicableAutoignition Temperature (°F)No information availableDecomposition Temperature (°F)No information available		
Wt. % Solids55 - 65Vol. % Solids35 - 45Wt. % Volatiles35 - 45Vol. % Volatiles55 - 65VOC Regulatory Limit (g/L)< 50Boiling Point (°F)212Boiling Point (°C)100Freezing Point (°F)32Freezing Point (°F)0Flash Point (°F)0Flash Point (°C)0Flash Point (°C)Not applicableFlash Point (°C)Not applicableFlash Point (°C)Not applicableLower flammability (solid, gas)Not applicableUpper flammability limit:Not applicableLower flammability limit:Not applicableAutoignition Temperature (°F)No information availableDecomposition Temperature (°F)No information available		
Vol. % Solids35 - 45Wt. % Volatiles35 - 45Vol. % Volatiles55 - 65VOC Regulatory Limit (g/L)< 50Boiling Point (°F)212Boiling Point (°C)100Freezing Point (°F)32Freezing Point (°F)0Flash Point (°F)0Flash Point (°C)Not applicableFlash Point (°C)Not applicableFlash Point (°C)Not applicablePlash Point (°C)Not applicableAutoignition Temperature (°F)No information availableAutoignition Temperature (°F)No information available		
Wt. % Volatiles35 - 45Vol. % Volatiles55 - 65VOC Regulatory Limit (g/L)< 50Boiling Point (°F)212Boiling Point (°C)100Freezing Point (°F)32Freezing Point (°F)0Flash Point (°F)0Flash Point (°C)0Flash Point (°C)Not applicableFlash Point (°C)Not applicableJummability (solid, gas)Not applicableUpper flammability limit:Not applicableLower flammability limit:Not applicableAutoignition Temperature (°F)No information availableDecomposition Temperature (°F)No information available		
Vol. % Volatiles55 - 65VOC Regulatory Limit (g/L)< 50Boiling Point (°F)212Boiling Point (°C)100Freezing Point (°F)32Freezing Point (°C)0Flash Point (°F)Not applicableFlash Point (°C)Not applicableFlash Point (°C)Not applicableFlash Point (°C)Not applicableJummability (solid, gas)Not applicableUpper flammability limit:Not applicableLower flammability limit:Not applicableAutoignition Temperature (°F)No information availableDecomposition Temperature (°F)No information available		
VOC Regulatory Limit (g/L)< 50		
Boiling Point (°F)212Boiling Point (°C)100Freezing Point (°F)32Freezing Point (°C)0Flash Point (°F)Not applicableFlash Point (°C)Not applicableFlash Point (°C)Not applicableFlash Point (°C)Not applicablePlash Point (°C)Not applicableMethodSetaflash closed cupFlammability (solid, gas)Not applicableUpper flammability limit:Not applicableLower flammability limit:Not applicableAutoignition Temperature (°F)No information availableDecomposition Temperature (°F)No information available		
Boiling Point (°C)100Freezing Point (°F)32Freezing Point (°C)0Flash Point (°F)Not applicableFlash Point (°C)Not applicableFlash Point (°C)Not applicableMethodSetaflash closed cupFlammability (solid, gas)Not applicableUpper flammability limit:Not applicableLower flammability limit:Not applicableAutoignition Temperature (°F)No information availableDecomposition Temperature (°F)No information available		
Freezing Point (°F)32Freezing Point (°C)0Flash Point (°F)Not applicableFlash Point (°C)Not applicableFlash Point (°C)Setaflash closed cupMethodSetaflash closed cupFlammability (solid, gas)Not applicableUpper flammability limit:Not applicableLower flammability limit:Not applicableAutoignition Temperature (°F)No information availableDecomposition Temperature (°F)No information available		
Freezing Point (°C)0Flash Point (°F)Not applicableFlash Point (°C)Not applicableMethodSetaflash closed cupFlammability (solid, gas)Not applicableUpper flammability limit:Not applicableLower flammability limit:Not applicableAutoignition Temperature (°F)No information availableDecomposition Temperature (°F)No information available		
Flash Point (°F)Not applicableFlash Point (°C)Not applicableMethodSetaflash closed cupFlammability (solid, gas)Not applicableUpper flammability limit:Not applicableLower flammability limit:Not applicableAutoignition Temperature (°F)No information availableDecomposition Temperature (°F)No information available		
Flash Point (°C)Not applicableMethodSetaflash closed cupFlammability (solid, gas)Not applicableUpper flammability limit:Not applicableLower flammability limit:Not applicableAutoignition Temperature (°F)No information availableAutoignition Temperature (°C)No information availableDecomposition Temperature (°F)No information available		•
MethodSetaflash closed cupFlammability (solid, gas)Not applicableUpper flammability limit:Not applicableLower flammability limit:Not applicableAutoignition Temperature (°F)No information availableAutoignition Temperature (°C)No information availableDecomposition Temperature (°F)No information available		
Flammability (solid, gas)Not applicableUpper flammability limit:Not applicableLower flammability limit:Not applicableAutoignition Temperature (°F)No information availableAutoignition Temperature (°C)No information availableDecomposition Temperature (°F)No information available		
Upper flammability limit:Not applicableLower flammability limit:Not applicableAutoignition Temperature (°F)No information availableAutoignition Temperature (°C)No information availableDecomposition Temperature (°F)No information available		•
Lower flammability limit:Not applicableAutoignition Temperature (°F)No information availableAutoignition Temperature (°C)No information availableDecomposition Temperature (°F)No information available		
Autoignition Temperature (°F)No information availableAutoignition Temperature (°C)No information availableDecomposition Temperature (°F)No information available		••
Autoignition Temperature (°C)No information availableDecomposition Temperature (°F)No information available	•	
Decomposition Temperature (°F) No information available		
Decomposition Temperature (°C) No information available		
	Decomposition Temperature (°C)	No information available

Partition coefficient

No information available

10.	STABIL	ITY	AND	RFA	стіл	ITY
	OTTE				<u> </u>	

Reactivity	Not Applicable
Chemical Stability	Stable under normal conditions.
Conditions to avoid	Prevent from freezing.
Incompatible Materials	No materials to be especially mentioned.
Hazardous Decomposition Products	None under normal use.
Possibility of hazardous reactions	None under normal conditions of use.

11. TOXICOLOGICAL INFORMATION

Product Information Information on likely routes of exposure	
Principal Routes of Exposure	Eye contact, skin contact and inhalation.
Acute Toxicity Product Information	No information available
Symptoms related to the physical, chemical and toxice	ological characteristics
Symptoms	No information available
Delayed and immediate effects as well as chronic effe	cts from short and long-term exposure
Eye contact Skin contact	May cause slight irritation Substance may cause slight skin irritation. Prolonged or
Inhalation Ingestion	repeated contact may dry skin and cause irritation. May cause irritation of respiratory tract. Ingestion may cause gastrointestinal irritation, nausea,
Sensitization Neurological Effects	vomiting and diarrhea. No information available. No information available.
Mutagenic Effects Reproductive Effects Developmental Effects	No information available. No information available. No information available.
Target organ effects STOT - single exposure	No information available. No information available.
STOT - repeated exposure Other adverse effects Aspiration Hazard	No information available. No information available. No information available.
Numerical measures of toxicity	
ATEmix (oral)	111236

Component Information

Titanium dioxide

LD50 Oral: > 10000 mg/kg (Rat)

Chronic Toxicity

Carcinogenicity

The information below indicates whether each agency has listed any ingredient as a carcinogen:.

Chemical name	IARC	NTP
	2B - Possible Human Carcinogen	
Titanium dioxide	_	

• Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

Legend

IARC - International Agency for Research on Cancer NTP - National Toxicity Program OSHA - Occupational Safety & Health Administration

12. ECOLOGICAL INFORMATION

Ecotoxicity Effects

The environmental impact of this product has not been fully investigated.

Product Information

<u>Acute Toxicity to Fish</u> No information available

Acute Toxicity to Aquatic Invertebrates

No information available

Acute Toxicity to Aquatic Plants

No information available

Persistence / Degradability

No information available.

Bioaccumulation

No information available.

Mobility in Environmental Media

No information available.

<u>Ozone</u>

No information available

Component Information

Acute Toxicity to Fish

<u>Titanium dioxide</u> LC50: > 1000 mg/L (Fathead Minnow - 96 hr.)

Acute Toxicity to Aquatic Invertebrates

No information available

Acute Toxicity to Aquatic Plants

No information available

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method

Dispose of in accordance with federal, state, provincial, and local regulations. Local requirements may vary, consult your sanitation department or state-designated environmental protection agency for more disposal options.

14. TRANSPORT INFORMATION

TDG

Not regulated

ICAO / IATA

IMDG / IMO

Not regulated

Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA: United StatesYes - All components are listed or exempt.**DSL: Canada**Yes - All components are listed or exempt.

National Pollutant Release Inventory (NPRI)

NPRI Parts 1-4

This product contains the following Parts 1-4 NPRI chemicals:

None

NPRI Part 5

This product contains the following NPRI Part 5 Chemicals:

None

WHMIS Regulatory Status

This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR) and the SDS contains all the information required by the HPR.

16. OTHER INFORMATION				
HMIS	Health: 1	Flammability: 0	Reactivity: 0	PPE: -
Note: The PPE	azard ard Hazard azard izard azard our supervisor or S.O.P.			ployees from the hazards the material will
	U U	u	0	s, and 4 representing significant hazards or has chosen to provide them. HMIS® ratings are

risks. Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer, has chosen to provide them. HMIS® ratings are to be used only in conjunction with a fully implemented HMIS® program by workers who have received appropriate HMIS® training. HMIS® is a registered trade and service mark of the NPCA. HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

WARNING! If you scrape, sand, or remove old paint, you may release lead dust. LEAD IS TOXIC. EXPOSURE TO LEAD DUST CAN CAUSE SERIOUS ILLNESS, SUCH AS BRAIN DAMAGE, ESPECIALLY IN CHILDREN. PREGNANT WOMEN SHOULD ALSO AVOID EXPOSURE. Wear a NIOSH approved respirator to control lead exposure. Clean up carefully with a HEPA vacuum and a wet mop. Before you start, find out how to protect yourself and your family by logging onto Health Canada @

http://www.hc-sc.gc.ca/ewh-semt/contaminants/lead-plomb/asked_questions-questions_posees-eng.php.

Prepared By	Product Stewardship Department Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 800-225-5554
Revision Date:	22-May-2018
Reason For Revision	Not available

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of

employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

END OF SAFETY DATA SHEET